

Cera Products Bibliography

1. Azad MAK, Lebenthal EL. Role of Intestinal Glucoamylase in glucose polymer hydrolysis and absorption. *Pediatric Res* 1990; 28:166-17
2. Bari A, Rahman A, Molla AM, Greenough WBG III, Rice-based oral rehydration solution shown to be better than glucose ORS as treatment of non-dysentric diarrhea in children in rural Bangladesh. *J Diarr DS Res* 1989; 7:1-7.
3. Bennett RG, Greenough WBG III. Approach to Acute Diarrhea in the Elderly. *Gastro CLIN N Am* 1993; 22:517-33.
4. Bennett RG, Greenough WBG III. Diarrhea and the Elderly in Nursing Homes in the United States. Diarrhea. Principles of Geriatric medicine and Gerontology, eds., Hazrd WR, Bierma BL, Blass JP, Etinger WH, Jr., and Halter JB, McGraw Hill, 1999, 4th ed.
5. Carpenter, CCJ, Greenough WBG III, Pierce NF. Oral rehydration therapy: the role of polymeric substrates. *N Engl J Med* 1988; 319: 1346-48.
6. Crapo PA, Reaven G, Olefsky J. Plasma glucose and insulin responses to orally administered simple and complex carbohydrates. *Diabetes* 1976; 25:741-7.
7. Diarrhea (in adults and Children) NIH Publication No 0402749, October 2003; referred by the International Foundation for Functional Gastrointestinal Disorders, Vol 12, No 4, Winter 2003
8. Field M. "New Strategies for Treating Watery Diarrhea. *N Eng J Med* 1997; 297:1121-1122.
9. Goldberg ED, Saltzman JR. Rice inhibits intestinal secretions. *Nutri Rev* 1996; 54:36-37.
10. Gore SM, Fontaine O, Pierce NF. Impact of rice-based oral rehydration solution on stool output and duration of diarrhea: meta-analysis of 13 clinical trials. *BMJ* 1992; 304:287-91.
11. Greenough WB III. JCI article. The Human, Societal and Scientific Legacy of Cholera. Specific reference to follow on 2/2/04.
12. Greenough WB III. "Cholera" in: Cecil Textbook of Medicine 22nd Edition. Ed, L. Goldman, D. Ausiello. Philadelphia, PA. Chapter 328, p 1858-1861 (2003).
13. Greenough WBG III and Khin-Maung-U. Oral Rehydration Therapy: Current Topics in Gastroenterology 1991; 485-499. Elsevier Science Publishing Co., 655 Avenue of the Americans, New York, NY 10010.
14. Greenough WBG III. Oral rehydration solution: something new, something old. *Infectious Diseases in Clinical Practices* 1998; 7:97-100.

15. Hirschhorn N, Greenough WBG III. Progress in Oral Rehydration Therapy. *Scientific American* 1991;264:50-56.
16. Houston DF, Kohler GO. *Nutritional Properties of Rice*. Washington, DC: National academy of Sciences, 1970.
17. Jones BJM, Brown BE, Loran JS, et al. Glucose absorption from starch hydrolysates in human jejunum. *Gut* 1983; 24:1152-60.
18. Khin-Maung-U and Greenough WBG III. Cereal based oral rehydration therapy. I. Clinical Studies. *J of Pediatr*: April 1991: 118:S72-S79.
19. King CK, Glass R, Bresee JS, Duggan C; Centers for Disease Control and Prevention. Managing acute gastroenteritis among children: oral rehydration, maintenance, and nutritional therapy. *MMWR*. 2003 NOV 21; 52 (RR-16): 1-16.
20. Lebenthal E, Khin-Maung-U, Khin-Myta-Tun et al. High calorie, rice-derived, short chain glucose polymer based oral rehydration solution in acute watery diarrhea. *Acta Pediatr* 1995; 84:165-72.
21. Lebenthal E, Khin-Maung-U, Rolston DDK et al. Composition and Preliminary evaluation of a Hydrolyzed Rice-based oral rehydration Solution for the Treatment of Acute Diarrhea in Children. *J American College Nutri* 1995; 14:299-303.
22. Lebenthal E, Khin-Maung-U, Rolston DDK et al. Thermophilic Amylase-Digested Rice-Electrolyte Solution in the Treatment of Acute Diarrhea in Children. *Pediatrics* 1995; 95:198-202.
23. Macleod RJ, Bennet HPJ, Hamilton JR. Inhibition of intestinal secretion by rice. *Lancet* 1995; 346:90-92.
24. Mehta MN, Subraminiam S. Comparison of rice-water, rice-electrolyte solution and glucose electrolyte solution management of infantile diarrhea. *Lancet* 1986; 1:843-5.
25. Mohan M, Sethi JS, Daral TS, et al. Controlled Trial of Rice-Powder and Glucose Rehydration solutions as oral therapy for acute dehydrating diarrhea in infants. *J Pediatr Gastroenterol Nutri* 1986; 5:423-7.
26. Molla AM, Ahmed SM, Greenough WBG III. Rice-based oral rehydration solution decreases stool volume in acute diarrhea. *Bull World Health Organ* 1985; 63:751-6.
27. Molla AM, Bari A, Greenough WBG III. Rice oral rehydration solution hastens recovery from dysentery. *J Diarr DS Res* 1995; 13:8-11.
28. Molla Am, Molla A, Rohde J, and Greenough WBG III. Turning off the diarrhea: the role of food and oral rehydration solution. *J Pediatr Gastroenterol Nutri* 1989; 8:81-84.

29. Molla AM, Sarker SA, Hossain M, Greenough WBG III. Rice-powder electrolyte solutions as oral therapy in diarrhea due to *Vibrio cholera* and *Escherichia coli*. *Lancet* 1982; 1:1317-9.
30. Ochoa, Juan G. Electrolyte Therapy for Refractory Seizures in Familial Dysautonomia. *Epilepsia*, 45 (11); 1461-1462, 2004; published by the International League Against Epilepsy.
31. Rabbani GH, Horvath K, Lebenthal E. Short chain glucose polymers of rice and anthracene 9 carboxylic acid inhibit water and electrolyte secretion induced by dibutyryl cyclic AMP in the small intestine. *Gastroentrol* 1991; 101:1046-53.
32. Ramakrishna BS, Venkataraman S, Srinarasan P, Sadh P, Young GP, Binder HJ. Amylase-resistant starch plus oral rehydration solution for cholera. *N Eng J Med* 2000; 342:308-313.
33. Sathanakrishnan BR, Sanharanarayanan VS. Rice water solution in diarrheal dehydration. *Indian J Pediatr* 1985; 52:479-82.
34. Wong HB. Rice Gruel in the management of infantile diarrhea. *Singapore Med J* 1985; 26:329-36.
35. Wong HB. Gastroenteritis III: Rice water in the management of infantile gastroenteritis in Singapore. *J Singapore Pediatric Soc* 1981; 23:113-7.
36. Zaman K, Yunas M, Rahman A, Chowdhury HR, Sack DA. Efficiency of a packaged rice oral rehydration solution among children with cholera and cholera-like illness. *Acta Paedia* 2001; 90:505-510.